



[www.zenobattery.com](http://www.zenobattery.com)

# BATTERY CATALOGUE

2022



# POWER IS OUR PASSION

ETN CODE	SHORT CODE	NOME TECNICO	Ah 20h	A (-18°C) EN 7,5V 10"	DIMENSIONS MAX. mm	LAYOUT	Bx tall.	Qty x Pall.	N° Layers	Qty x Layer
<b>ITINERIS AGM - START &amp; STOP - ABSORBENT GLASS MAT</b>										
560,901,068	IT 2 AGM	IT2 S&S AGM N	60	680	242 x 175 x 190	+	B3	76	4	19
570,901,076	IT 3 AGM	IT3 S&S AGM N	70	760	275 x 175 x 190	+	B3	64	4	16
580,901,080	IT 4 AGM	IT4 S&S AGM N	80	800	310 x 175 x 190	+	B3	56	4	14
595,901,085	IT 5 AGM	IT5 S&S AGM N	95	850	353 x 175 x 190	+	B3	48	4	12
605,901,095	IT 6 AGM	IT6 S&S AGM	105	950	393 x 175 x 190	+	B3	48	4	12
<b>ITINERIS EFB - START &amp; STOP - ENHANCED FLOODED BATTERIES</b>										
S550.501.050	IT 1 EFB	IT1	50	500	207 x 175 x 190	+	B3	96	4	24
S560.501.057	IT 2 EFB	IT2	60	570	242 x 175 x 190	+	B3	76	4	19
S565.501.065	IT3B EFB	IT3B	65	650	275 x 175 x 175	+	B3	64	4	16
S572.501.072	IT3 EFB	IT3	72	720	275 x 175 x 190	+	B3	64	4	16
S575.501.073	IT4B EFB	IT4B	75	730	310 x 175 x 175	+	B3	56	4	14
S580.501.077	IT4 EFB	IT4	80	770	310 x 175 x 190	+	B3	56	4	14
S600.501.085	IT5 EFB	IT5	100	850	353 x 175 x 190	+	B3	48	4	12
<b>ITINERIS EFB - JIS - START &amp; STOP - ENHANCED FLOODED BATTERIES</b>										
S537.601.037	IT37J EFB	NS40D EFB	37	370	195 x 129 x 225	+	B0	100	4	19
S555.601.046	IT55J EFB	B24 EFB	55	460	237 x 127 x 225	+	B0	96	4	16
S565.601.056	IT65J EFB	D23 EFB	65	560	230 x 170 x 225	+	B0	76	4	16
S572.601.066	IT65J EFB	D26 EFB	72	660	270 x 175 x 225	+	B0	64	4	14
S595.601.076	IT95J EFB	D31D EFB	95	760	303 x 175 x 225	+	B0	56	4	14
<b>SIGILLUM - STANDARD DIN</b>										
S555.059.052	S1	S1 PLUS	55	520	207 x 175 x 190	+	B3	96	4	24
S564.059.063	S2	S2 PLUS	64	630	242 x 175 x 190	+	B3	76	4	19
S582.031.077	S3	S3 PLUS	82	770	275 x 175 x 190	+	B3	64	4	16
S600.035.082	S4	S4 PLUS	100	820	310 x 175 x 190	+	B3	56	4	14
S600.038.086	S5	S5 PLUS	100	860	353 x 175 x 190	+	B3	48	4	12
<b>SIGILLUM - LOW DIN</b>										
S550.065.050	S1B	S1B PLUS	50	500	207 x 175 x 175	+	B3	96	4	24
S563.077.061	S2B	S2B PLUS	63	610	242 x 175 x 175	+	B3	76	4	19
S574.018.072	S3B	S3B PLUS	74	720	275 x 175 x 175	+	B3	64	4	16
S584.039.078	S4B	S4B PLUS	84	780	310 x 175 x 175	+	B3	56	4	14
S592.038.080	S5B	S5B PLUS	92	800	353 x 175 x 175	+	B3	48	4	12





### HERMETICUM - STANDARD DIN - SEALED

S544.008.042	H44	X44L0DX NA	44	420	175 x 175 x 190	+	B3	96	4	24
S550.059.045	H50	XL1KD	50	450	207 x 175 x 190	+	B3	96	4	24
S555.060.050	H55	X55L1D	55	500	207 x 175 x 190	+	B3	96	4	24
S555.064.050	H55S	X55L1S	55	500	207 x 175 x 190	+	B3	96	4	24
S555.059.050	----	XL2D	55	500	242 x 175 x 190	+	B3	76	4	19
S562.059.059	H62	X62L2D	62	590	242 x 175 x 190	+	B3	76	4	19
S562.065.059	H62S	X62L2S	62	590	242 x 175 x 190	+	B3	76	4	19
S574.012.068	H74	X74L3D	74	680	275 x 175 x 190	+	B3	64	4	16
S574.013.068	H74S	X74L3S	74	680	275 x 175 x 190	+	B3	64	4	16
S580.031.072	H80	X80L3D	80	720	275 x 175 x 190	+	B3	64	4	16
S600.035.080	H100	X100L4D	100	800	310 x 175 x 190	+	B3	56	4	14
S600.065.080	H100S	X100L4S	100	800	310 x 175 x 190	+	B3	56	4	14
S600.038.083	HL100	X100L5D	100	830	353 x 175 x 190	+	B3	48	4	12

### HERMETICUM - LOW DIN - SEALED

S547.065.045	H47B	X47L1B	47	450	207 x 175 x 175	+	B3	96	4	24
S562.077.059	H62B	X62L2BD	62	590	242 x 175 x 175	+	B3	76	4	19
S572.018.068	H72B	X72L3BD	72	680	275 x 175 x 175	+	B3	64	4	16
S582.039.074	H82B	XL4BD	82	740	310 x 175 x 175	+	B3	56	4	14
S592.015.080	H92B	X90L5BD	92	800	353 x 175 x 175	+	B3	48	4	12

### HERMETICUM - STANDARD JIS

S537.020.033	H37J	NS40D	37	330	187 x 127 x 225	+	B0	100	4	25
S537.022.033	H37JS	NS40S	37	330	187 x 127 x 225	+	B0	100	4	25
S537.038.033	H37J1	NS40D-B1	37	330	187 x 135 x 225	+	B1	100	4	25
S545.077.030	H45E	E2D	45	300	218 x 135 x 225	+	B1	100	4	25
S545.079.030	H45ES	E2S	45	300	218 x 135 x 225	+	B1	100	4	25
S545.084.036	H45J	545.84	45	360	237 x 127 x 225	+	B0	100	4	25
S545.051.036	H45JS	545.51	45	360	237 x 127 x 225	+	B0	100	4	25
S550.041.042	H50J	550.41	50	420	200 x 170 x 225	+	B0	96	4	24
S550.042.042	H50JS	550.42	50	420	200 x 170 x 225	+	B0	96	4	24
S560.068.049	H60J	560.68	60	490	230 x 170 x 225	+	B0	60	4	15
S560.069.049	H60JS	560.69	60	490	230 x 170 x 225	+	B0	60	4	15
S570.029.056	H70J	570.29	70	560	270 x 175 x 225	+	B3 (+B6)	64	4	16
S570.024.056	H70JS	570.24	70	560	270 x 175 x 225	+	B3 (+B6)	64	4	16
S595.018.076	H95J	D31D	95	760	303 x 175 x 225	+	B6	56	4	14
S595.019.076	H95JS	D31S	95	760	303 x 175 x 225	+	B6	56	4	14

### HERMETICUM - GARDEN LINE

S530.040.033	H30	U1R-60M	30	330	195 x 130 x 183	+	B0	100	4	25
S530.041.033	H30S	U1-60M	30	330	195 x 130 x 183	+	B0	100	4	25

### CELERIS - STANDARD DIN - KAMINA

524.015.018 (DRY)	C24	24NU Dx	24	180	187 x 128 x 167	+	B0	144	4	36
524.030.018 (DRY)	C24S	24NU Sx	24	180	187 x 128 x 167	+	B0	144	4	36
532.011.022 (DRY)	C32	32NU	32	220	233 x 131 x 167	+	B0	108	4	27
540.008.036	C40	L0D	40	360	175 x 175 x 190	+	B3	96	4	24
544.059.040	C44	L1D	44	400	207 x 175 x 190	+	B3	96	4	24
550.059.045	C50	L1KD	50	450	207 x 175 x 190	+	B3	96	4	24
560.059.054	C60	L2KD	60	540	242 x 175 x 190	+	B3	76	4	19
570.038.064	C70	L3KD	70	640	275 x 175 x 190	+	B3	64	4	16
574.012.066	C74	74L3D	74	660	275 x 175 x 190	+	B3	64	4	16
600.035.079	C100	100L4D	100	790	310 x 175 x 190	+	B3	56	4	14
595.038.076	C95	95L5D	95	760	353 x 175 x 190	+	B3	48	4	12
600.038.081	CL100	100L5D	100	810	353 x 175 x 190	+	B3	48	4	12
610.042.095	C110	L6	110	950	393 x 175 x 190	+	B3	48	4	12



### CELERIS - LOW DIN - KAMINA

544,065,040	C44B	44L1BD	44	400	207 x 175 x 175	+	B3	96	4	24
560,077,054	C60B	60L2BD	60	540	242 x 175 x 175	+	B3	76	4	19
570,018,064	C70B	70L3BD	70	640	275 x 175 x 175	+	B3	64	4	16
580,039,070	C80B	L4BD	80	700	310 x 175 x 175	+	B3	56	4	14

### HERCULES - SHD SUPER HEAVY DUTY

650.105.085	SHD150	SHD150S-K	150	850	510 x 189 x 223	+	B0	32	4	8
680.108.105	SHD180	SHD180S-K	180	1050	513 x 223 x 223	+	B0	28	4	7
730.103.125	SHD230	SHD230S-K	230	1250	518 x 273 x 240	+	B0	18	3	6

### FORTIS - HD (HEAVY DUTY)

635.034.085	135AS	135AS	135	850	510 x 189 x 223	+	B0	32	4	8
650.020.090	150AS	150AS	150	900	510 x 189 x 223	+	B0	32	4	8
650.044.100	150MS	150MCS	150	1000	510 x 175 x 225	+	B3	32	4	8
650.089.090	150B	150BD	150	900	513 x 223 x 223	+	B3	28	4	7
650.017.090	150BS	150BS	150	900	513 x 223 x 223	+	B0	28	4	7
680.089.100	180B	180BD	180	1000	513 x 223 x 223	+	B3	28	4	7
680.032.100	180BS	180BS	180	1000	513 x 223 x 223	+	B0	28	4	7
700.029.110	200B	200BD	200	1100	513 x 223 x 223	+	B3	28	4	7
700.088.110	200BS	200BS	200	1100	513 x 223 x 223	+	B0	28	4	7
725.016.120	225C	225CD	225	1200	518 x 273 x 240	+	B0	18	3	6
725.018.120	225CS	225CS	225	1200	518 x 273 x 240	+	B0	18	3	6

### FORTIS

600,032,080	100G	100GBDM 98P	100	800	330 x 175 x 205	+	B3	56	4	14
600,033,080	100GS	100GBSM 98P	100	800	330 x 175 x 205	+	B3	56	4	14
610,029,074	110B1	110CD B1	110	740	343 x 172 x 230	+	B1	36	3	12
610,028,074	110B0	110CD	110	740	343 x 172 x 230	+	B0	36	3	12
610,027,074	110BS	110CS	110	740	343 x 172 x 230	+	B0	36	3	12
610,040,085	110MDS	110MDS	110	850	513 x 175 x 210	+	B3	32	4	8
620,029,083	120B1	120CD B1	120	830	344 x 172 x 230	+	B1	36	3	12
620,033,082	120M	120MCD	120	820	510 x 175 x 225	+	B3	32	4	8
625,026,076	125AT	125CAD	125	760	343 x 172 x 290	+	B0	48	4	12
635,044,100	135MS	135MDS	135	1000	513 x 175 x 210	+	B3	32	4	8
640,011,090	140MT	140MT	140	900	510 x 175 x 205	+	B1	32	4	8







## MAIN FEATURES

- |   |   |   |
|---|---|---|
|  <b>LABIRINTO INTERNO</b><br>INTERNAL LABYRINTH        |  <b>INTASATORI</b><br>CELL CONSTRAINING                |  <b>START &amp; STOP</b>                                       |
|  <b>SEPARATORI LANA VETRO</b><br>GLASS FIBER SEPARATOR |  <b>RESINA A CALDO</b><br>HOT MELT                     |  <b>PASTIGLIA ANTI-FIAMMA</b><br>FLAME ARRESTOR                |
|  <b>TAPPO CON GUARNIZIONE</b><br>O-RING                |  <b>+30% DI SPUNTO</b><br>HIGHER COLD CRANKING CURRENT |  <b>SISTEMA ANTI-FUORIUSCITA ACIDO</b><br>ANTI SPILLING SYSTEM |

									
ITINERIS AGM	✓		✓		✓	✓		✓	
ITINERIS EFB	✓			✓	✓	✓		✓	
E-MOTION		✓		✓		✓		✓	
SIGILLUM		✓		✓		✓		✓	
HERMETICUM				✓		✓		✓	
HERCULES SHD			✓	✓	✓	✓	✓	✓	✓
FORTIS HD					✓				✓

## LAYOUT



Right layout




Left layout

## HOLD DOWN




B3+B6



B1




B3



B3+B4



B6



B0



[www.zenobattery.com](http://www.zenobattery.com)

# BATTERY CATALOGUE

2022

